

### MINISTRY OF ECOLOGY AND NATURAL RESOURCES OF THE REPUBLIC OF KAZAKHSTAN RSE «KAZHYDROMET»

### SCIENTIFIC RESEARCH CENTER

### **CASPIAN SEA WEEKLY BULLETIN №12**

20 March, 2024, Wednesday




Fig.1 NASA/GSFC space images of the Caspian Sea, March, 14, 2024

## FORECAST OF LEVEL AND SURGE PHENOMENA IN THE MIDDLE PART OF THE CASPIAN SEA ON March 19-24, 2024

### SEA LEVEL.

In the period from March 19-24, the sea level is expected to fluctuate around the mark of minus 29.16 m BS. The range of fluctuations in sea level is from minus 28.68 m to minus 29.63 m.

Figure 2 shows a graph of the predicted sea level values at various points in the Middle part of the Caspian Sea.

### SURGERY PHENOMENA.

In the area of Fort-Shevchenko, Aktau, Fetisovo and Makhachkala, surge events are not expected, sea level fluctuations will not exceed **12 cm**.




Fig .2 Forecast of sea level in the points of the Middle Caspian

## FORECAST VALUES OF SEA LEVEL FLUCTUATIONS AT VARIOUS POINTS OF THE KAZAKHSTANI COAST

Point name	Maximum		Minimum		Average	
	Level,	date, time,	Level,	date, time,	Level,	
	sm	$GMT^*$	sm	$GMT^*$	sm	
	(m BS)		(m BS)		(m BS)	
Middle Part						
Fort-	-144	2024/03/19	-156	2024/03/20	-149	
Shevchenko	(-29,44)	18:00:00	(-29,56)	20:00:00	(-29,49)	
Aktau	-153	2024/03/24	-163	2024/03/20	-157	
	(-29,53)	06:00:00	(-29,63)	06:00:00	(-29,57)	
Fetisovo	-68	2024/03/23	-77	2024/03/20	-73	
	(-28,68)	14:00:00	(-28,77)	21:00:00	(-28,73)	
Makhachkala	-81	2024/03/20	-91	2024/03/19	-86	
	(-28,81)	13:00:00	<b>(-28,91)</b>	18:00:00	<b>(-28,86)</b>	

GMT\* - Greenwich Mean Time

# Review Caspian Sea water stage from March 13-19, 2024

The mean sea level was minus 29,08 m on the Caspian Sea shallow part covered by ice.

According to the operational data of the sea stations of Kazhydromet: Fort-Shevchenko, Aktau, Fetisovo and Roshydromet (Makhachkala), the average value of the level of the Caspian Sea, in its deep part, corresponded to minus 29.13 m, the maximum - minus 28.66 m, the minimum - minus 29.63 m.

### Review of ice conditions in the Caspian Sea, March 13-19, 2024

Satellite imagery (Figure 1) and operational data from marine stations and observatories along the northern coast of the Caspian Sea show complete destruction of the ice.




Fig. 3 Water temperature varies according operative data from Caspian Sea stations

#### CRITERIA OF DANGER OF THE STORM SURGES IN THE NORTHEAST COAST

	Rise/Fall,	Characteristic***	Consequences
	cm		
o.	50	Critical	Flooded coast area to 5 km
Up surge	65	Danger	Flooding and flooding of dams and buildings up to 10 km
n	110	Especially danger	Flooding of the coast for more than 10 km, destruction of dams and buildings
e	-50	Critical	worsening navigation conditions for small ships
Down surge	-65	Danger	Worsening of navigation conditions for small and medium-sized ships
DC	-100	Especially danger	Ships would be aground

<sup>\*</sup> The characteristics were computed by Hydrodynamic module MIKE 21 of Danish Hydraulic Institute. RSE "KAZHYDROMET" has the module adapted to Caspian Sea conditions. Data of sea level measurements (Fig.2-3) and pressure field numerical forecasting for 24–120 hours were used in computation.

\*\*\* Critical -50 % frequency, danger -25 % frequency, especially danger -2 % frequency. The calculation was carried out for the period 1940-2020 according to the data of Peshnoy station.

### BS – Baltic System

The bulletin was compiled by the Department of Hydrometeorological Research of the Caspian Sea Address: 010000, Astana, Mangilik El Ave. 32, Tel. 2 79 83 12;

e-mail: ugmikm@meteo.kz

Created by Yeltay A.

When using materials of the bulletin the link to RSE "Kazhydromet" is obligatory

<sup>\*\*</sup> At definition of characteristic marks local conditions were considered.