

MINISTRY OF ECOLOGY AND NATURAL RESOURCES OF THE REPUBLIC OF KAZAKHSTAN RSE «KAZHYDROMET»

SCIENTIFIC RESEARCH CENTER

CASPIAN SEA WEEKLY BULLETIN №6

February 7, 2025, Friday




Fig. 1 Space image of the Caspian Sea, February 6, 2025 (NASA/GSFC)

FORECAST OF LEVEL AND SURGE PHENOMENA IN THE MIDDLE PART OF THE CASPIAN SEA ON FEBRUARY 06 - 11, 2025

SEA LEVEL.

In the period on February 06 - 11, the sea level is expected to fluctuate around the mark of minus 29.53 m BS. The range of fluctuations in sea level is from minus 29.01 m to minus 29.85 m.

Figure 2 shows a graph of the predicted sea level values at various points in the Middle part of the Caspian Sea.

SURGERY PHENOMENA.

In the area of Fort-Shevchenko, Aktau, Saura, Kuryk, Fetisovo and Makhachkala, surge events are not expected, sea level fluctuations will not exceed 13 cm.




Fig .2 Forecast of sea level in the points of the Middle Caspian

FORECAST VALUES OF SEA LEVEL FLUCTUATIONS AT VARIOUS POINTS OF THE KAZAKHSTANI COAST

Point name	Maximum		Minimum		Average		
	Level,	date, time,	Level,	date, time,	Level,		
	sm	GMT^*	sm	GMT^*	sm		
	(m BS)		(m BS)		(m BS)		
Middle Part							
Fort-	-156	10/02/2025	-169	07/02/2025	-160		
Shevchenko	(-29,56)	12:00:00	(-29,69)	13:00:00	(-29,60)		
Saura	-167	10/02/2025	-178	07/02/2025	-170		
	(-29,67)	21:00:00	(-29,78)	09:00:00	(-29,70)		
Kuryk	-172	11/02/2025	-185	07/02/2025	-178		
	(-29,72)	10:00:00	(-29,85)	15:00:00	(-29,78)		
Aktau	-165	11/02/2025	-173	07/02/2025	-167		
	(-29,65)	10:00:00	(-29,73)	07:00:00	(-29,67)		
Fetisovo	-135	09/02/2025	-148	07/02/2025	-138		
	(-29,35)	11:00:00	(-29,48)	12:00:00	(-29,38)		
Makhachkala	-101	10/02/2025	-110	07/02/2025	-1,05		
	(-29,01)	14:00:00	(-29,10)	00:00:00	(-29,05)		

GMT* - Greenwich Mean Time

REVIEW CASPIAN SEA WATER STAGE FROM January 30 - February 05, 2025

According to the operational data of the sea stations of Kazhydromet: Fort-Shevchenko, Aktau, Fetisovo and Roshydromet (Makhachkala), the average value of the level of the Caspian Sea, in its deep part, corresponded to minus 29.42 m, the maximum - minus 28.84 m, the minimum - minus 29.83 m.

REVIEW OF ICE CONDITIONS IN THE CASPIAN SEA, January 30 - February 05, 2025

Satellite imagery (Figure 1) and operational data from marine stations and observatories along the northern coast of the Caspian Sea indicate the formation of an ice cover.




Fig. 3 Ice thickness according to operational data of marine stations




Fig. 4 Water temperature varies according operative data from Caspian Sea stations

CRITERIA OF DANGER OF THE STORM SURGES IN THE NORTHEAST COAST

	Rise/Fall,	Characteristic***	Consequences
	cm		
စ	50	Critical	Flooded coast area to 5 km
Up surge	65	Danger	Flooding and flooding of dams and buildings up to 10 km
n	110	Especially danger	Flooding of the coast for more than 10 km, destruction of dams and buildings
e e	-50	Critical	worsening navigation conditions for small ships
Down surge	-65	Danger	Worsening of navigation conditions for small and medium-sized ships
DC	-100	Especially danger	Ships would be aground

^{*} The calculated characteristics were obtained using the hydrodynamic module of the MIKE 21 Flow Model, adapted in RSE "Kazgidromet" to the conditions of the Caspian Sea. Data of sea level measurements and pressure field numerical forecasting for 24–120 hours were used in computation.

*** Critical - 50 % frequency, danger - 25 % frequency, especially danger - 2 % frequency. The calculation was carried out for the period 1940-2020 according to the data of Peshnoy station.

BS – Baltic System

The bulletin was compiled by the Department of Hydrometeorological Research of the Caspian Sea

Address: 010000, Astana, Mangilik El Ave. 32, Tel. 2 79 83 12; e-mail: ugmikm@meteo.kz

When using materials of the bulletin the link to RSE "Kazhydromet" is obligatory

^{**} At definition of characteristic marks local conditions were considered.