

MINISTRY OF ECOLOGY AND NATURAL RESOURCES OF THE REPUBLIC OF KAZAKHSTAN RSE «KAZHYDROMET»

SCIENTIFIC RESEARCH CENTER

CASPIAN SEA WEEKLY BULLETIN №43

October 24, 2025, Friday




Fig.1 Space image of the Caspian Sea, October 22, 2025 (NASA/GSFC)

FORECAST OF LEVEL AND SURGE PHENOMENA IN THE MIDDLE PART OF THE CASPIAN SEA ON OCTOBER 23 – 28, 2025

SEA LEVEL.

In the period on October 23 - 28, the sea level is expected to fluctuate around the mark of minus 29.58 m BS. The range of fluctuations in sea level is from minus 29.12 m to minus 29.91 m.

Figure 2 shows a graph of the predicted sea level values at various points in the Middle part of the Caspian Sea.

SURGERY PHENOMENA.

In the area of Kuryk, Aktau, Saura, Kuryk, Fetisovo and Makhachkala, surge events are not expected, sea level fluctuations will not exceed **14 cm**.

In the Fort Shevchenko, runaway phenomena are observed, sea level fall up to 18 cm is expected




Fig .2 Forecast of sea level in the points of the Middle Caspian

FORECAST OF LEVEL AND SURGE PHENOMENA IN THE NORTHERN PART OF THE CASPIAN SEA ON OCTOBER 23 – 28, 2025

SEA LEVEL.

In the period the sea level is expected to fluctuate around the mark of minus 29.31 m BS. The range of fluctuations in sea level is from minus 29.00 m to minus 29.82 m.

Figure 3 shows a graph of the predicted sea level values at various points in the Northern part of the Caspian Sea.

SURGERY PHENOMENA.

In the area of Kulaly, Peshnoy, Tyuleniy and Zhanbay surge events are **not expected**, sea level fluctuations will **not exceed 14 cm**.




Fig .3 Forecast of sea level in the points of the North Caspian

FORECAST VALUES OF SEA LEVEL FLUCTUATIONS AT VARIOUS POINTS OF THE KAZAKHSTANI COAST

Point name	Maximum		Minimum		Average	
	Level,	date, time,	Level,	date, time,	Level,	
	sm	GMT^*	sm	\mathbf{GMT}^*	sm	
	(m BS)		(m BS)		(m BS)	
Middle Part						
Fort-	-158	23/10/2025	-176	23/10/2025	-169	
Shevchenko	(-29,58)	12:00:00	(-29,76)	18:00:00	(-29,69)	
Saura	-160	23/10/2025	-174	28/10/2025	-169	
	(-29,60)	12:00:00	(-29,74)	11:00:00	(-29,69)	
Kuryk	-183	23/10/2025	-191	26/10/2025	-187	
	(-29,83)	21:00:00	(-29,91)	17:00:00	(-29,87)	
Aktau	-163	23/10/2025	-177	24/10/2025	-173	
	(-29,63)	12:00:00	(-29,77)	08:00:00	(-29,73)	
Fetisovo	-130	26/10/2025	-144	23/10/2025	-134	
	(-29,30)	04:00:00	(-29,44)	21:00:00	(-29,34)	
Makhachkala	-112	24/10/2025	-126	23/10/2025	-118	
	(-29,12)	14:00:00	(-29,26)	18:00:00	(-29,18)	
Northern Part						
Peshnoy	-124	23/10/2025	-134	27/10/2025	-128	
	(-29,24)	20:00:00	(-29,34)	20:00:00	(-29,28)	
Kulaly	-169	23/10/2025	-182	27/10/2025	-178	
	(-29,69)	12:00:00	(-29,82)	10:00:00	(-29,78)	
Tyuleniy	-108	25/10/2025	-121	24/10/2025	-112	
	(-29,08)	03:00:00	(-29,21)	00:00:00	(-29,12)	
Zhanbay	-100	26/10/2025	-111	28/10/2025	-105	
	(-29,00)	11:00:00	(-29,11)	02:00:00	(-29,05)	

GMT* - Greenwich Mean Time

REVIEW CASPIAN SEA WATER STAGE FROM OCTOBER 16 – 22, 2025

In the northern part of the Caspian Sea, according to operational data from marine stations of Kazhydromet: Peshnoy, Kulaly island and Roshydromet (isl. Tyuleniy), the average sea level corresponded to minus 29.49 m, the maximum minus 29.15 m, the minimum minus 29.76 m.

According to the operational data of the sea stations of Kazhydromet: Fort-Shevchenko, Aktau, Fetisovo and Roshydromet (Makhachkala), the average value of the level of the Caspian Sea, in its deep part, corresponded to minus 29.48 m, the maximum minus 29.16 m, the minimum minus 29.76 m.

CRITERIA OF DANGER OF THE STORM SURGES IN THE NORTHEAST COAST

	Rise/Fall,	Characteristic***	Consequences
	cm		
မ	50	Critical	Flooded coast area to 5 km
Up surge	65	Danger	Flooding and flooding of dams and buildings up to 10 km
n	110	Especially danger	Flooding of the coast for more than 10 km, destruction of dams and buildings
e e	-50	Critical	worsening navigation conditions for small ships
Down surge	-65	Danger	Worsening of navigation conditions for small and medium-sized ships
DC	-100	Especially danger	Ships would be aground

^{*} The calculated characteristics were obtained using the hydrodynamic module of the MIKE 21 Flow Model, adapted in RSE "Kazgidromet" to the conditions of the Caspian Sea. Data of sea level measurements and pressure field numerical forecasting for 24–120 hours were used in computation.

*** Critical - 50 % frequency, danger - 25 % frequency, especially danger - 2 % frequency. The calculation was carried out for the period 1940-2020 according to the data of Peshnoy station.

BS – Baltic System

The bulletin was compiled by the Department of Hydrometeorological Research of the Caspian Sea

Address: 010000, Astana, Mangilik El Ave. 32, Tel. 2 79 83 12; e-mail: ugmikm@meteo.kz

When using materials of the bulletin the link to RSE "Kazhydromet" is obligatory

^{**} At definition of characteristic marks local conditions were considered.